

LIST OF FIGURES

| | | |
|-----------------------|--|----|
| Figure 1-1. | Map of Los Angeles Harbor..... | 11 |
| Figure 3-1. | Los Angeles Harbor showing microbiology stations..... | 43 |
| Figure 3-2. | Dry-weather annual geometric means at Los Angeles Harbor surface stations, 2006 and 2007..... | 45 |
| Figure 3-3. | Annual geometric means for fecal coliform bacteria at Los Angeles Harbor monthly stations, 2006 and 2007..... | 46 |
| Figure 3-4. | Annual means for fecal coliform bacteria at Los Angeles Harbor water quality plume tracking stations, 2006 and 2007..... | 47 |
| Figure 3-5. | Monthly dry-weather geometric means for indicator bacteria at Cabrillo Beach shoreline stations, 2006..... | 48 |
| Figure 3-6. | Monthly dry-weather geometric means for indicator bacteria at Cabrillo Beach shoreline stations, 2007..... | 49 |
| Figure 4-1. | Quarterly water quality sampling station in Los Angeles Harbor..... | 57 |
| Figure 4-2. | Monthly rainfall amounts, 2006 and 2007..... | 61 |
| Figure 4-3a-d. | Temperature, salinity, CDOM, and chlorophyll plots for January 2006. Temperature scale: 14.2-15.2 °C, salinity scale: 31.5-33.2 ppt., CDOM scale: 0-10, and chlorophyll scale: 0-15ug/L..... | 62 |
| Figure 4-4a-d. | Temperature, salinity, CDOM, and chlorophyll plots for April 2006. Temperature scale: 10-15 °C, salinity scale: 33.0-33.6-33.2 ppt., CDOM scale: 0-10, and chlorophyll scale: 0-16ug/L..... | 62 |
| Figure 4-5a-d. | Temperature, salinity, CDOM and chlorophyll plots for June 2006. Temperature scale: 14-20 °C, salinity scale: 33.0-33.5 ppt., CDOM scale: 0-10, and chlorophyll scale: 0-20ug/L..... | 63 |
| Figure 4-6a-d. | Temperature, salinity, CDOM, and chlorophyll plots for August 2006. Temperature scale: 12-18 °C, salinity scale: 33.0-33.5 ppt., CDOM scale: 0-10, and chlorophyll scale: 0-30ug/L..... | 63 |
| Figure 4-7a-d. | Temperature, salinity, CDOM, and chlorophyll plots for October 2006. Temperature scale: 12-18 °C, salinity scale: 33.0-33.5 ppt., CDOM scale: 0-10, and chlorophyll scale: 0-30ug/L..... | 64 |

| | | |
|------------------------|---|-----|
| Figure 4-8a-d. | Temperature, salinity, CDOM, and chlorophyll plots for January 2007. Temperature scale: 13.5-15 °C, salinity scale: 33.3-33.5 ppt. (note: only 0.2 ppt. scale spread), CDOM scale: 0-10, and chlorophyll scale: 0-10ug/L..... | 65 |
| Figure 4-9a-d. | Temperature, salinity, CDOM, and chlorophyll plots for April 2007. Temperature scale: 10-15 °C, salinity scale: 33.4-33.9 ppt., CDOM scale: 0-10, and chlorophyll scale: 0-10ug/L. | 65 |
| Figure 4-10a-d. | Temperature, salinity, CDOM, and chlorophyll plots for September 2007. Temperature scale: 12-18 °C, salinity scale: 33.1-33.5 ppt., CDOM scale: 0-10, and chlorophyll scale: 0-16ug/L. | 66 |
| Figure 4-11a-d. | Temperature, salinity, CDOM, and chlorophyll plots for December 2007. Temperature scale: 12-15 °C, salinity scale: 33.1-33.5 ppt., CDOM scale: 0-10, and chlorophyll scale: 0-10ug/L. | 66 |
| Figure 5-1. | Sediment chemistry sampling station locations in Los Angeles Harbor. | 84 |
| Figure 5-2. | Total metals (mg/kg dry-wt) in Los Angeles Harbor sediment in 2006 and 2007. Concentrations were normalized against fine grain fraction. | 88 |
| Figure 5-3. | Total DDT (µg/kg dry wt) in Los Angeles Harbor sediment in 2006 and 2007. | 90 |
| Figure 5-4. | Distribution of % (Silt + Clay) in Los Angeles Harbor in 2006 and 2007. | 90 |
| Figure 5-5. | TOC in Los Angeles Harbor sediment in 2006 and 2007. | 90 |
| Figure 5-6. | Trends of mercury, cadmium, arsenic, and lead at Station HM3 from 2003 to 2007. | 92 |
| Figure 5-7. | Trends of mercury, cadmium, arsenic, and lead at Station HM13 from 2003 to 2007. | 92 |
| Figure 5-8. | Trends of copper, nickel, chromium, and zinc at Station HM3 from 2003 to 2007. | 94 |
| Figure 5-9. | Trends of copper, nickel, chromium, and zinc at Station HM13 from 2003 to 2007. | 94 |
| Figure 6-1. | Macrofaunal sampling stations in Los Angeles Harbor. Abandoned stations are depicted in gray. | 100 |
| Figure 6-2. | Parsimony analysis of endemicity (PAE) cladogram for the 2006-2007 biennial monitoring stations. | 108 |
| Figure 6-3. | Expanded non-metric multi-dimensional scaling (NMDS) using patristic distances derived from the PAE cladogram. Locations are depicted as factors in color. | 109 |

| | | |
|--------------------|--|-----|
| Figure 6-4. | Parsimony analysis of co-occurring species (PACOS) cladogram showing the taxa relationships based on where they co-occurred during the 2006-2007 sampling period..... | 110 |
| Figure 6-5. | Principal components analysis of abiotic data onto the PAE cladogram with sand fractions mapped on..... | 111 |
| Figure 7-1. | Trawl sampling stations in Los Angeles Harbor. Abandoned or former station positions are depicted in gray. | 123 |
| Figure 7-2. | Size-class distribution of <i>Genyonemus lineatus</i> during the 2006-2007 biennium..... | 127 |
| Figure 7-3. | Size-class distribution of <i>Seriphus politus</i> during the 2006-2007 biennium. | 127 |
| Figure 7-4. | Parsimony analysis of endemicity (PAE) q-mode cladogram showing the sampling event relationships based on the combined fish and megainvertebrate taxa inventories for the 2006-2007 biennium..... | 133 |
| Figure 7-5. | Non-metric multi-dimensional scaling (NMDS) of patristic distances derived from the parsimony analysis of endemicity (PAE) cladogram for the 2006-2007 biennium. Four treatment levels of a location factor are employed. | 135 |
| Figure 7-6. | Parsimony analysis of co-occurring species (PACOS) cladogram showing the associations of combined fish and megainvertebrates based on where they occurred during the 2006-2007 biennium..... | 136 |
| Figure 8-1. | Fish tissue collection sites in Los Angeles Harbor. | 144 |
| Figure 8-2. | Temporal trends of selected pollutants and % lipid in muscle tissue of white croaker at the TIWRP outfall (HT7) from 2002 to 2007. Metals assessment is not required starting in 2005..... | 151 |
| Figure 8-3. | Average concentrations of selected pollutants in muscle and liver tissues near the TIWRP outfall during the 2006 and 2007 sampling seasons. | 152 |