

NOV 1 4 2006

## CITY OF LOS ANGELES

OFFICE OF THE CITY ÇLERK ROOM 395, CITY HALL LOS ANGELES, CALIFORNIA 90012 CALIFORNIA ENVIRONMENTAL QUALITY ACT CHY CLERK'S USE

## LOS ANGELES, COUNTY CLERK NOTICE OF DETERMINATION

(Article I City CEQA Guidelines)

Public Resources Code Section 21152(a) requires local agencies to submit this information to the County Clerk. T	The filing of this notice starts a 30-day
statute of limitations on court challenges to the approval of the project pursuant to Public Resources Code Section	21167.

		- p =			
LEAD CITY AGENCY AND ADDRESS: Department of Public Works, Bureau of Sanitation 1149 South Broadway, Suite 900, Los Angeles, CA 90015				COUNCIL DISTRIC	CT:
PROJECT TITLE: (Including its common name, if any)			CASE NO.:	20	
				C.F.: 06 - 243	10
Tillman Water Rectreatment, in addit Water Reclamation water, as well as regenerated in the C(GBIS) comprised structures that wo Park (LA Zoo) to the Phase II comprised from the vicinity of Spring Lane Interestructures that wo	clamation Plant (TWRP) to 1 tion to adding wastewater and Plant (LAG). Alternative 4 manage 42 percent of the draward of approximately 5 3/4 miles and provide sewer relief of the vicinity of Toluca Lake. The draward of approximately 5 1/2 miles of Glassell Park to a point nor ceptor Sewer (VSLIS) composed extend from the Toluca Lake the EIR and would require further the toluca the EIR and would require further the toluca the tell and would require further the toluca the tell and would require further the tell and	oo mgd and recycle would recycle weather so sonstruction of 8-foother projects of 8-foother projects of 8-footh of LAC rised of a Lake area	and upgrading its treatment ed water storage at the Los euse up to 56,100 acre-feet per and 47 percent of the wet uction of the Glendale-Burba diameter interceptor sewer Outfall Sewer (NOS) from the ct also includes the Northea of diameter interceptor and a G. At a concept, the project approximately 8 ½ mile interea, northwest to TWRP. VSL	processes to advangeles Glendale per year of recycle weather urban rurank Interceptor Seand associated are vicinity of Griffith st Interceptor Sewassociated structure discusses the Valceptor and associated associated second associated structure.	ed noff wer h ver res lley ated
		<b>TELEPHONE:</b> (213) 485-5729			
This is to advise that the following determ	at on 11/14/2006, the Los Angele ninations:	es City Co	uncil approved the project des	cribed above and ma	ide
SIGNIFICANT EFFECT	<ul> <li>☑ The project will have a significant effect on the environment.</li> <li>☐ The project will not have a significant effect on the environment.</li> </ul>				
ENVIRONMENTAL IMPACT REPORT	<ul> <li>☑ An Environmental Impact Report was prepared for the project and may be examined at the Office of the City Clerk.</li> <li>☐ An Environmental Impact Report was not prepared for the project.</li> </ul>				
MITIGATION MEASURES	<ul> <li>Mitigation measures were made a condition of project approval and a mitigation monitoring plan was adopted for this project.</li> <li>Mitigation measures were not made a condition of project approval.</li> </ul>				an
OVERRIDING CONSIDERATION	<ul> <li>△ A Statement of Overriding Considerations was adopted.</li> <li>△ A Statement of Overriding Considerations was not adopted.</li> <li>△ A Statement of Overriding Considerations was not required.</li> </ul>				
FINDINGS	Findings were made and adopted pursuant to the provisions of CEQA.  Findings were not made pursuant to the provisions of CEQA.				
SIGNATURE: Ara J. Kasparian, Ph.	D. Mayfel	4	TITLE: Manager, Environmental Management Group	DATE: 9/11/2006	
DISTRIBUTION: Pa	rt 1 - County Clerk Part 2 - Cit	Clerk	Part 3 - Agency Record P	art 4 - Responsible A	gency

Form Gen. 156 (6/91) (Appendix D)